Fine Blue Pearl MATERIAL SAFETY DATA SHEET

#XL600087

SECTION I - IDENTIFICATION PRODUCT NAME: FINE BLUE PEARL Recommended use Ad Recommended restrictions N MANUFACTURER: Excel Autobody Products 2921 Syene Road, Madison, W

Additive None Known

MANUFACTURER: Excel Autobody Products 2921 Syene Road, Madison, WI 53713 PRODUCT INFORMATION: (800) 957-0848 EMERGENCY TELEPHONE: 1-800-424-9300

SECTION II - HAZARDOUS IDENTIFICATION

Physical hazards Health hazards

Environmental hazards OSHA defined hazards Label elements

Signal word Hazard statement

Precautionary statement Prevention

Response

Storage

Disposal

Hazard(s) not otherwise classified (HNOC)

Supplemental information

Not classified. Acute toxicity, oral Acute toxicity, dermal Skin corrosion/irritation Serious eye damage/eye irritation Carcinogenicity Not classified. Not classified.

Category 4 Category 3 Category 2 Category 2A Category 2



```
Danger
```

Harmful if swallowed. Toxic in contact with skin. Causes skin irritation. Causes serious eye irritation. Suspected of causing cancer.

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Call a poison center/doctor if you feel unwell. If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If exposed or concerned: Get medical advice/attention. Call a poison center/doctor if you feel unwell. Rinse mouth. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off immediately all contaminated clothing and wash it before reuse.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/ international regulations.

None known.

85% of the mixture consists of component(s) of unknown acute oral toxicity. 85% of the mixtureconsists of component(s) of unknown acute dermal toxicity.

Fine Blue Pearl MATERIAL SAFETY DATA SHEET

#XL600087

PART NUMBER - #600087 PRODUCT NAME: FINE BLUE PEARL

SECTION III

Composition/information on ingredients

Mixtures

| Chemical name | Common name and synonyms | CAS number | % |
|--|--------------------------|------------|-----------|
| Titanium Dioxide | | 13463-67-7 | 45 - < 65 |
| Mica Regulatory | | 12001-26-2 | 20 - < 40 |
| Butyl Cellosolve/Glycol Ether EB | | 111-76-2 | 5 - < 15 |
| Tin Oxide Regulatory | | 18282-10-5 | 0 - < 5 |
| Other components below reportable levels | | | 5 - < 10 |

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

| SECTION IV - FIRST AID | MEASURES |
|---|---|
| Inhalation Skin contact | Move to fresh air. Call a physician if symptoms develop or persist. Take off immediately all contaminated clothing. Wash with plenty of soap and water. Get medical advice/attention if you feel unwell. If skin irritation occurs: Get medical advice/attention. Wash contaminated clothing before reuse. |
| Eye contact | Do not rub eyes. Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists. |
| Ingestion | Rinse mouth. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Get medical advice/attention if you feel unwell. |
| Most important symptoms/effects, acute and delayed | Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Dusts may irritate the respiratory tract, skin and eyes. Coughing. Skin irritation. May cause redness and pain. |
| Indication of immediate medical attention and special treatment needed | Provide general supportive measures and treat symptomatically. Keep victim warm. Keep victim under observation. Symptoms may be delayed. |
| General information | Take off immediately all contaminated clothing. IF exposed or concerned: Get medical advice/attention. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. |
| SECTION V - FIREFIGHTI | NG MEASURES |
| Suitable extinguishing media | Powder. Alcohol resistant foam. Water spray. Carbon dioxide (CO2). |
| Unsuitable extinguishing media | Do not use water jet as an extinguisher, as this will spread the fire. |
| Specific hazards arising from the chemical | During fire, gases hazardous to health may be formed. |
| Special protective equipment and precautions for firefighters | Self-contained breathing apparatus and full protective clothing must be worn in case of fire. |
| Fire fighting equipment/instructions | Use water spray to cool unopened containers. |

Fine Blue Pearl MATERIAL SAFETY DATA SHEET

#XL600087

PART NUMBER - #600087 PRODUCT NAME: FINE BLUE PEARL

SECTION V - FIREFIGHTING MEASURES

Specific methods

General fire hazards

Use standard firefighting procedures and consider the hazards of other involved materials.

No unusual fire or explosion hazards noted.

SECTION VII - ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Methods and materials for containment and cleaning up Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Stop the flow of material, if this is without risk. Absorb in vermiculite, dry sand or earth and place into containers. Collect dust using a vacuum cleaner equipped with HEPA filter.

Large Spills: Wet down with water and dike for later disposal. Shovel the material into waste container. Avoid the generation of dusts during clean-up. Following product recovery, flush area with water.

Small Spills: Sweep up or vacuum up spillage and collect in suitable container for disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Avoid discharge into drains, water courses or onto the ground.

SECTION VIII - PRECAUTIONS TO CONTROL EXPOSURE / PERSONAL PROTECTION

Precautions for safe handling

Environmental precautions

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Minimize dust generation and accumulation. Provide appropriate exhaust ventilation at places where dust is formed. Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure. Do not taste or swallow. When using, do not eat, drink or smoke. Should be handled in closed systems, if possible. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Wash contaminated clothing before reuse. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store locked up. Store in original tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

Fine Blue Pearl MATERIAL SAFETY DATA SHEET

#XL600087

PART NUMBER - #600087 PRODUCT NAME: FINE BLUE PEARL

SECTION VIII - PRECAUTIONS TO CONTROL EXPOSURE / PERSONAL PROTECTION Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

| Components | Туре | Value | Form |
|--------------------------------------|------|-----------|-------------|
| Butyl Cellosolve/Glycol | PEL | 240 mg/m3 | |
| Ether EB (CAS 111-76-2) | | | |
| | | 50 ppm | |
| Titanium Dioxide (CAS 13463-67-7) | PEL | 15 mg/m3 | Total dust. |

US. OSHA Table Z-3 (29 CFR 1910.1000)

| Components | Туре | Value | |
|----------------------|------|----------|--|
| Mica Regulatory (CAS | TWA | 20 mppcf | |
| 12001-26-2) | | | |

US. ACGIH Threshold Limit Values

| Components | Туре | Value | Form |
|---------------------------|------|----------|----------------------|
| Butyl Cellosolve/Glycol | TWA | 20 ppm | |
| Ether EB (CAS 111-76-2) | | | |
| Mica Regulatory (CAS | TWA | 3 mg/m3 | Respirable fraction. |
| 12001-26-2) | | | |
| Tin Oxide Regulatory (CAS | TWA | 2 mg/m3 | |
| 18282-10-5) | | | |
| Titanium Dioxide (CAS | TWA | 10 mg/m3 | |
| 13463-67-7) | | | |

US. NIOSH: Pocket Guide to Chemical Hazards

| Components | Туре | Value | |
|--|------|----------|-------------|
| Butyl Cellosolve/Glycol | TWA | 24 mg/m3 | |
| Ether EB (CAS 111-76-2) | | | |
| | | 5 ppm | |
| Mica Regulatory (CAS 12001-26-2) | TWA | 3 mg/m3 | Respirable. |
| Tin Oxide Regulatory (CAS 18282-10-5) | TWA | 2 mg/m3 | |

Biological limit values

| ACGIH Biological Exposure Indices | | | | |
|-----------------------------------|----------|-----------------|---------------|---------------|
| Components | Value | Determinant | Specimen | Sampling Time |
| Butyl Cellosolve/Glycol | 200 mg/g | Butoxyacetic | Creatinine in | * |
| | | acid (BAA), | urine | |
| | | with hydrolysis | | |

* - For sampling details, please see the source document.

Exposure guidelines US - California OELs: Skin designation Butyl Cellosolve/Glycol Ether EB (CAS 111-76-2) Can be absorbed through the skin. US - Minnesota Haz Subs: Skin designation applies Butyl Cellosolve/Glycol Ether EB (CAS 111-76-2) Skin designation applies. **US** - Tennessee OELs: Skin designation Butyl Cellosolve/Glycol Ether EB (CAS 111-76-2) Can be absorbed through the skin. **US NIOSH Pocket Guide to Chemical Hazards: Skin designation** Butyl Cellosolve/Glycol Ether EB (CAS 111-76-2) Can be absorbed through the skin. US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) Butyl Cellosolve/Glycol Ether EB (CAS 111-76-2) Can be absorbed through the skin.

Fine Blue Pearl MATERIAL SAFETY DATA SHEET

#XL600087

PART NUMBER - #600087 PRODUCT NAME: FINE BLUE PEARL

SECTION VIII - PRECAUTIONS TO CONTROL EXPOSURE / PERSONAL PROTECTION

Appropriate engineering controls

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Minimize dust generation and accumulation. Provide appropriate exhaust ventilation at places where dust is formed. Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure. Do not taste or swallow. When using, do not eat, drink or smoke. Should be handled in closed systems, if possible. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Wash contaminated clothing before reuse. Observe good industrial hygiene practices.

Individual protection measures, such as personal protective equipment

| Eye/face protection | Chemical respirator with organic vapor cartridge, full facepiece, dust and mist filter. |
|-----------------------------------|---|
| Skin protection | |
| Hand protection | Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove supplier. |
| Other | Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended. |
| Respiratory protection | Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/ fume at levels exceeding the exposure limits. Chemical respirator with organic vapor cartridge, full facepiece, dust and mist filter. |
| Thermal hazards | Wear appropriate thermal protective clothing, when necessary. |
| General hygiene considerations | Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. |

SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES

| Appearance | |
|--|---------------------------------|
| Physical state | Solid. |
| Form | Powder. |
| Color | Pearlescent |
| Odor | Not available. |
| Odor threshold | Not available. |
| рН | Not available. |
| Melting point/freezing point | -102.64 °F (-74.8 °C) estimated |
| Initial boiling point and boiling | 335.12 °F (168.4 °C) estimated |
| range | |
| Flash point | 143.0 °F (61.7 °C) estimated |
| Evaporation rate | Not available. |
| Flammability (solid, gas) | Not available. |
| Upper/lower flammability or explosive limits | |
| Flammability limit - lower (%) | Not available. |
| Flammability limit - upper (%) | Not available. |
| Explosive limit - lower (%) | Not available. |
| Explosive limit - upper (%) | Not available. |
| Vapor pressure | 3374.93 hPa estimated |
| Vapor density | Not available. |
| Relative density | Not available. |
| Solubility(ies) | |
| Solubility (water) | Not available. |
| Partition coefficient | Not available. |
| (n-octanol/water) | |

Excel Autobody Products

www.excelproducts.net

Fine Blue Pearl MATERIAL SAFETY DATA SHEET

#XL600087

SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES

Auto-ignition temperature Decomposition temperature Viscosity Other information Density Flammability class Percent volatile 460.4 °F (238 °C) estimated Not available. Not available.

3.39 g/cm3 estimated Combustible IIIA estimated 10 w/w % By Weight 29.42 v/v % By Volume

Specific gravity

3.39 estimated

SECTION X - STABILITY AND REACTIVITY

| Reactivity | The product is stable and non-reactive under normal conditions of use, storage and transport. |
|---------------------------------------|---|
| Chemical stability | Material is stable under normal conditions. |
| Possibility of hazardous reactions | No dangerous reaction known under conditions of normal use. |
| Conditions to avoid | Avoid temperatures exceeding the flash point. Contact with incompatible materials. |
| Incompatible materials | Strong oxidizing agents. |
| Hazardous decomposition products | No hazardous decomposition products are known. |

SECTION XI - TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

| Inhalation | Dust may irritate respiratory system. Prolonged inhalation may be harmful. | | |
|---|---|--|--|
| Skin contact | Toxic in contact with skin. Causes skin irritation. | | |
| | 2-Butoxy ethanol may be absorbed through the skin in toxic amounts if contact is repeated and prolonged. These effects have not been observed in humans. | | |
| Eye contact | Causes serious eye irritation. | | |
| Ingestion | Harmful if swallowed. | | |
| Symptoms related to the physical, chemical and toxicological characteristics | Severe eye irritation. Dusts may irritate the respiratory tract, skin and eyes. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Coughing. Skin irritation. May cause redness and pain. | | |

Information on toxicological effects

Acute toxicity Toxic in contact with skin. Harmful if swallowed.

Fine Blue Pearl MATERIAL SAFETY DATA SHEET

#XL600087

PART NUMBER - #600087 PRODUCT NAME: FINE BLUE PEARL

SECTION XI - TOXICOLOGICAL INFORMATION Information on toxicological effects Acute toxicity

| Acute toxicity | | | |
|---------------------------|--------------------------------|-----------------------|--|
| Components | Species | Test Results | |
| Butyl Cellosolve/Glycol I | Ether EB (CAS 111-76-2) | | |
| Acute | | | |
| Dermal | | | |
| LD50 | Rabbit | 400 mg/kg | |
| Inhalation | | | |
| LC50 | Mouse | 700 ppm, 7 Hours | |
| | Rat | 450 ppm, 4 Hours | |
| Oral | | | |
| LD50 | Guinea pig | 1.2 g/kg | |
| | Mouse | 1.2 g/kg | |
| | Rabbit | 0.32 g/kg | |
| | Rat | 560 mg/kg | |
| * Estimates for product | may be based on additional com | nonent data not shown | |

* Estimates for product may be based on additional component data not shown.

| Skin corrosion/irritation | Causes skin irritation. |
|---------------------------|--------------------------------|
| Serious eye damage/eye | Causes serious eye irritation. |
| irritation | |

Respiratory or skin sensitization Respiratory sensitization Skin sensitization Germ cell mutagenicity

Not a respiratory sensitizer. This product is not expected to cause skin sensitization. No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic. Suspected of causing cancer.

IARC Monographs. Overall Evaluation of Carcinogenicity

Butyl Cellosolve/Glycol Ether EB (CAS 111-76-2) Titanium Dioxide (CAS 13463-67-7) 3 Not classifiable as to carcinogenicity to humans. 2B Possibly carcinogenic to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not classified.

 Not listed.
 Reproductive toxicity
 This product is not expected to cause reproductive or developmental effects.

 Specific target organ toxicity - single exposure
 Not classified.

Specific target organ toxicity repeated exposure

Aspiration hazard Chronic effects

Carcinogenicity

Not an aspiration hazard. May be harmful if absorbed through skin. Prolonged inhalation may be harmful.

2-Butoxy ethanol may be absorbed through the skin in toxic amounts if contact is repeated and prolonged. These effects have not been observed in humans.

Prolonged exposure may cause chronic effects.

Fine Blue Pearl MATERIAL SAFETY DATA SHEET

#XL600087

PART NUMBER - #600087 PRODUCT NAME: FINE BLUE PEARL SECTION XII - ECOLOGICAL INFORMATION

Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

| Components | | Species | Test Results | | |
|-------------------------------|------------|---------------------------------------|-----------------------|--|--|
| Butyl Cellosolve/Glycol Ethe | er EB (CAS | 6 111-76-2) | | | |
| Aquatic | | | | | |
| Fish | LC50 | Inland silverside (Menidia beryllina) | 1250 mg/l, 96 hours | | |
| Titanium Dioxide (CAS 134 | 63-67-7) | | | | |
| Aquatic | | | | | |
| Crustacea | EC50 | Water flea (Daphnia magna) | > 1000 mg/l, 48 hours | | |
| Fish | LC50 | Mummichog (Fundulus heteroclitus) | > 1000 mg/l, 96 hours | | |
| * Estimates for product | may be b | ased on additional component dat | a not shown. | | |
| Persistence and degradability | No data | a is available on the degradability c | of this product. | | |
| Bioaccumulative potential | | | | | |
| Partition coefficient n-o | ctanol / | water (log Kow) | | | |
| Butyl Cellosolve/Glycol E | ther EB | 0.83 | | | |
| Mobility in soil | No data | a available. | | | |

| No data available. |
|---|
| No other adverse environmental effects (e.g. ozone depletion, |
| photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component. |
| |

SECTION XIII - DISPOSAL CONSIDERATIONS

| Disposal instructions | Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/ international regulations. |
|------------------------------|---|
| Local disposal regulations | Dispose in accordance with all applicable regulations. |
| Hazardous waste code | The waste code should be assigned in discussion between the user, |
| | the producer and the waste disposal company. |
| Waste from residues / unused | Dispose of in accordance with local regulations. Empty containers or liners |
| products | may retain some product residues. This material and its container must be |
| Contaminated packaging | disposed of in a safe manner (see: Disposal instructions). Since emptied containers may retain product residue, follow label warnings |
| | even after container is emptied. Empty containers should be taken to an |
| | approved waste handling site for recycling or disposal. |

SECTION XIV - TRANSPORT INFORMATION

The following transportation information is provided based on the manufacturer's interpretation of shipping regulations. Each shipper is responsible for identifying, naming, marking, and labeling prior to offering for transport. **DOT**

| UN number | UN8000 |
|------------------------------|--|
| UN proper shipping name | Consumer Commodity |
| Transport hazard class(es) | |
| Class | ORM-D |
| Subsidiary risk | - |
| Label(s) | Not applicable. |
| Packing group | ll |
| Special precautions for user | Read safety instructions, SDS and emergency procedures |
| | before handling. |
| Packaging exceptions | 156, 306 |
| | |

Excel Autobody Products

www.excelproducts.net

Fine Blue Pearl MATERIAL SAFETY DATA SHEET

#XL600087

PART NUMBER - #600087 PRODUCT NAME: FINE BLUE PEARL SECTION XIV - TRANSPORT INFORMATION IATA

UN number UN proper shipping name Transport hazard class(es) Class Subsidiary risk Packing group Environmental hazards Special precautions for user

Other information Passenger and cargo aircraft Cargo aircraft only

IMDG

UN number UN proper shipping name Transport hazard class(es) Class Subsidiary risk Packin group Marine pollutant

EmS Special precautions for user

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not available. Consumer Commodity

ORM-D

Not applicable. No. Read safety instructions, SDS and emergency procedures before handling.

Forbidden.

Forbidden.

Not available. Consumer Commodity

ORM-D

Not applicable. No. Not available. Read safety instructions, SDS and emergency procedures before handling. Not applicable.

Listed.

SECTION XV - REGULATORY INFORMATION

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

One or more components are not listed on TSCA.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D) Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Butyl Cellosolve/Glycol Ether EB (CAS 111-76-2)

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Immediate Hazard - Yes Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Hazard categories

Not listed.

No

SARA 311/312 Hazardous chemical

www.excelproducts.net

Fine Blue Pearl MATERIAL SAFETY DATA SHEET

#XL600087

| SARA 313 (TRI reporting) Chemical name | | CAS number | % by wt. |
|---|---------------------|--|-----------------------|
| Butyl Cellosolve/Gl | ycol Ether EB | 111-76-2 | 5 - < 15 |
| Other federal regulations | | | |
| - |) Section 112 Ha | azardous Air Pollutants (HAPs) List | |
| Not regulated. | , | | |
| 8 | A) Section 112(r) / | Accidental Release Prevention (40 CFR 68.1 | L 3 0) |
| Not regulated. | , | | - , |
| Safe Drinking Wate | er Act Not regu | ulated. | |
| (SDWA) | | | |
| US state regulations | | | |
| US. California Con | trolled Substance | es. CA Department of Justice | |
| (California Health | and Safety Code | Section 11100) | |
| Not listed. | | | |
| US. California. Candidate Cl | nemicals List. Sa | afer Consumer Products Regulations | |
| (Cal. Code Regs, tit. 22, 695 | 502.3, subd. (a)) | | |
| Butyl Cellosolve/Gl | ycol Ether EB (CAS | S 111-76-2) | |
| Titanium Dioxide (C | AS 13463-67-7) | | |
| US. Massachusetts RTK - Su | ubstance List | | |
| Butyl Cellosolve/Gl | • | S 111-76-2) | |
| Mica Regulatory (C/ | , | | |
| Tin Oxide Regulator | | | |
| Titanium Dioxide (C | | | |
| US. New Jersey Worker and | | | |
| Butyl Cellosolve/Gl | | S 111-76-2) | |
| Mica Regulatory (C/ | | | |
| Tin Oxide Regulator | | | |
| Titanium Dioxide (C | | | |
| US. Pennsylvania Worker an | | - | |
| Butyl Cellosolve/Gl | • | S 111-76-2) | |
| Mica Regulatory (C/ | | | |
| Titanium Dioxide (C | AS 13463-67-7) | | |
| US. Rhode Island RTK | | | |
| Butyl Cellosolve/Gl | • | S 111-76-2) | |
| US. California Proposition 6 | | | |
| - | | chemical known to the State of California to cau | use cancer. |
| US - California Proposition 6 | 65 - CRT: Listed d | date/Carcinogenic substance | |
| Titanium Dioxide (C | AS 13463-67-7) | Listed: September 2, 2011 | |
| | | | |
| International Inventories | Invente | | Or transitions (was (|
| Country(s) or region | | bry name | On inventory (yes/ |
| Australia | | ian Inventory of Chemical Substances (AICS) | |
| Canada | | tic Substances List (DSL) | |
| Canada | | mestic Substances List (NDSL) No | |
| China | | ry of Existing Chemical Substances in China (IE | |
| Europe | | an Inventory of Existing Commercial Chemical | |
| | | nces (EINECS) | |
| Europe | | an List of Notified Chemical Substances (ELINC | |
| Japan | | ry of Existing and New Chemical Substances (E | |
| Korea | - | g Chemicals List (ECL) | |
| New Zealand | | aland Inventory | |
| Philippines | | ne Inventory of Chemicals and Chemical Subst | tances |
| | (PICCS) | ubstances Control Act (TSCA) Inventory | |
| United States & Puerto Rico | | | |
| United States & Puerto Rico | TOXIC SL | IDStances control Act (130A) inventory | |

A "No" indicates that one or more components of the product are not listed or exempt from listing inventory administered by the governing country(s).

Excel Autobody Products

www.excelproducts.net

Fine Blue Pearl MATERIAL SAFETY DATA SHEET

#XL600087

SECTION XVI - OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION Issue date 06-19-2015

01

lssue date Version # Disclaimer

Our company cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.

Excel Products US, Inc., 2921 Syene Rd, Madison, WI 53713 Tel: (800) 957-0848; Fax: (608) 274-5313 Email: <u>info@excelproducts.net</u> Website: <u>www.excelproducts.net</u>