

Category 4

Category 3

Category 2

#XL600098



PRODUCT NAME: FINE WHITE PEARL

Recommended use Additive **Recommended restrictions** None Known

MANUFACTURER: Excel Autobody Products

2921 Syene Road, Madison, WI 53713

PRODUCT INFORMATION: (800) 957-0848 EMERGENCY TELEPHONE: 1-800-424-9300

SECTION II - HAZARDOUS IDENTIFICATION

Physical hazards Not classified. **Health hazards** Acute toxicity, oral Acute toxicity, dermal Skin corrosion/irritation Serious eye damage/eye irritation

Category 2A Carcinogenicity Category 2

Environmental hazards Not classified. **OSHA** defined hazards Not classified.

Label elements

Signal word Danger

Hazard statement Harmful if swallowed. Toxic in contact with skin. Causes skin irritation.

Causes serious eye irritation. Suspected of causing cancer.

Precautionary statement Prevention

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection.

Response If swallowed: Call a poison center/doctor if you feel unwell. If on skin:

Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If exposed or concerned: Get medical advice/attention. Call a poison center/doctor if you feel unwell. Rinse mouth. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/ attention. Take off immediately all contaminated clothing and wash it

before reuse.

Storage Store locked up.

Disposal Dispose of contents/container in accordance with local/regional/national/

international regulations.

Hazard(s) not otherwise classified (HNOC)

None known.

Supplemental information

87% of the mixture consists of component(s) of unknown acute oral toxicity.

87% of the mixture consists of component(s) of unknown acute

dermal toxicity.



#XL600098



PRODUCT NAME: FINE WHITE PEARL

SECTION III

Composition/information on ingredients

Mixtures

Excel Autobody Products

Chemical name	Common name and synonyms	CAS number	%
Mica Regulatory		12001-26-2	40 - < 60
Titanium Dioxide		13463-67-7	30 - < 50
Butyl Cellosolve/Glycol Ether EB		111-76-2	5 - < 20
Tin Oxide Regulatory		18282-10-5	0 - < 5
Other components below reportable levels		_	3 - < 5

^{*}Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

SECTION IV - FIRST AID MEASURES

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact

Take off immediately all contaminated clothing. Wash with plenty of soap and water.

Get medical advice/attention if you feel unwell. If skin irritation occurs: Get medical

advice/attention. Wash contaminated clothing before reuse.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Get medical

attention if irritation develops and persists.

Ingestion Rinse mouth. If vomiting occurs, keep head low so that stomach content doesn't get

into the lungs. Get medical advice/attention if you feel unwell.

Most important symptoms/effects, acute and delayed

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and $% \left(1\right) =\left(1\right) \left(1\right) \left($

blurred vision. Coughing. Skin irritation. May cause redness and pain.

Indication of immediate medical attention and special treatment needed Provide general supportive measures and treat symptomatically. Keep victim warm.

Keep victim under observation. Symptoms may be delayed.

General information Take off immediately all contaminated clothing. IF exposed or concerned:

Get medical advice/attention. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to

the doctor in attendance.

SECTION V - FIREFIGHTING MEASURES

Suitable extinguishing

Powder. Alcohol resistant foam. Water spray. Carbon dioxide (CO2).

media

Unsuitable extinguishing Do not use water jet as an extinguisher, as this will spread the fire.

media

o orioina

During fire, gases hazardous to health may be formed.

Specific hazards arising from the chemical

in the chemical

Special protective Self-contained breathing apparatus and full protective clothing must **equipment and** be worn in case of fire.

precautions for firefighters

Use water spray to cool unopened containers.

Fire fighting equipment/instructions



#XL600098

PART NUMBER - #600098

Excel Autobody Products

PRODUCT NAME: FINE WHITE PEARL

SECTION V - FIREFIGHTING MEASURES

involved materials.

General fire hazards No unusual fire or explosion hazards noted.

SECTION VII - ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

SECTION VIII - PRECAUTIONS TO CONTROL EXPOSURE / PERSONAL PROTECTION

Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure. Do not taste or swallow. When using, do not eat, drink or smoke. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Wash contaminated clothing before reuse. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store locked up. Store in original tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).



10 mg/m3

#XL600098

PART NUMBER - #600098

PRODUCT NAME: FINE WHITE PEARL

SECTION VIII - PRECAUTIONS TO CONTROL EXPOSURE / PERSONAL PROTECTION

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

TWA

Components	Туре	Value	Form
Butyl Cellosolve/Glycol	PEL	240 mg/m3	
Ether EB (CAS 111-76-2)			
		50 ppm	
Titanium Dioxide (CAS	PEL	15 mg/m3	Total dust.
13463-67-7)			
US. OSHA Table Z-3 (29 CFR 19	910.1000)		
Components	Туре	Value	
Mica Regulatory (CAS	TWA	20 mppcf	
12001-26-2)			
US. ACGIH Threshold Limit Val	ues		
Components	Туре	Value	Form
Butyl Cellosolve/Glycol	TWA	20 ppm	
Ether EB (CAS 111-76-2)			
Mica Regulatory (CAS	TWA	3 mg/m3	Respirable fraction
12001-26-2)			
Tin Oxide Regulatory (CAS	TWA	2 mg/m3	

US. NIOSH: Pocket Guide to Chemical Hazards

OS. MOSTI. I CONCLUDIO CO CITETITO I MAZGING				
Components	Туре	Value	Form	
Butyl Cellosolve/Glycol	TWA	24 mg/m3		
Ether EB (CAS 111-76-2)				
		5 ppm		
Mica Regulatory (CAS	TWA	3 mg/m3	Respirable.	
12001-26-2)				
Tin Oxide Regulatory (CAS	TWA	2 mg/m3		
18282-10-5)				

Biological limit values

18282-10-5)

13463-67-7)

Titanium Dioxide (CAS

ACGIH Biological Exposure Indices

Value	Determinant	Specimen	Sampling Time
200 mg/g	Butoxyacetic	Creatinine in	*
	(//	urine	
			200 mg/g Butoxyacetic Creatinine in acid (BAA), urine

^{* -} For sampling details, please see the source document.

Exposure guidelines

US - California OELs: Skin designation

Butyl Cellosolve/Glycol Ether EB (CAS 111-76-2) Can be absorbed through the skin.

US - Minnesota Haz Subs: Skin designation applies

Butyl Cellosolve/Glycol Ether EB (CAS 111-76-2) Skin designation applies.

US - Tennessee OELs: Skin designation

Butyl Cellosolve/Glycol Ether EB (CAS 111-76-2) Can be absorbed through the skin.

US NIOSH Pocket Guide to Chemical Hazards: Skin designation

Butyl Cellosolve/Glycol Ether EB (CAS 111-76-2) Can be absorbed through the skin.

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Butyl Cellosolve/Glycol Ether EB (CAS 111-76-2) Can be absorbed through the skin.

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.



#XL600098

PART NUMBER - #600098

PRODUCT NAME: FINE WHITE PEARL

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Suitable gloves can be recommended by the glove supplier.

Other Wear appropriate chemical resistant clothing.

Use of an impervious apron is recommended.

Respiratory protection In case of insufficient ventilation, wear suitable

respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and

before eating, drinking, and/or smoking. Routinely wash

work clothing and protective equipment to remove contaminants.

SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Physical state Solid. Form Powder. Color Pearlescent Not available. **Odor threshold** Not available. Not available.

Melting point/freezing point -102.64 °F (-74.8 °C) estimated Initial boiling point and boiling 335.12 °F (168.4 °C) estimated

range

Odor

рΗ

Flash point 143.0 °F (61.7 °C) estimated

Evaporation rate Not available. Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower (%) Not available. Flammability limit - upper (%) Not available. **Explosive limit - lower (%)** Not available. Explosive limit - upper (%) Not available.

Vapor pressure 3148.95 hPa estimated

Vapor density Not available. Not available. **Relative density**

Solubility(ies)

Solubility (water) Not available. **Partition coefficient** Not available.

(n-octanol/water)

Auto-ignition temperature 460.4 °F (238 °C) estimated

Decomposition temperature Not available. **Viscosity** Not available.

Other information

3.14 g/cm3 estimated **Density** Flammability class Combustible IIIA estimated Percent volatile 10 w/w % By Weight 28.35 v/v % By Volume

Specific gravity 3.14 estimated



#XL600098

PART NUMBER - #600098

PRODUCT NAME: FINE WHITE PEARL

SECTION X - STABILITY AND REACTIVITY

Reactivity The product is stable and non-reactive under normal conditions of use, storage and

transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

Hazardous polymerization does not occur.

Conditions to avoidAvoid temperatures exceeding the flash point. Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

No hazardous decomposition products are known.

SECTION XI - TOXICOLOGICAL INFORMATION

Inhalation Prolonged inhalation may be harmful.

Skin contact Toxic in contact with skin. Causes skin irritation.

2-Butoxy ethanol may be absorbed through the skin in toxic amounts if

contact is repeated and prolonged. These effects have not been observed in humans.

Eye contact Causes serious eye irritation.

Ingestion Harmful if swallowed.

Symptoms related to the physical, chemical and

toxicological

toxicological characteristics

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Coughing. Skin irritation. May cause

redness and pain.

Information on toxicological effects

Acute toxicity Toxic in contact with skin. Harmful if swallowed.

<u>Components</u> <u>Species</u> <u>Test Results</u> Butyl Cellosolve/Glycol Ether EB (CAS 111-76-2)

> Acute Dermal

LD50 Rabbit 400 mg/kg
Inhalation
LC50 Mouse 700 ppm, 7 Hours

Rat 450 ppm, 4 Hours

Oral

LD50 Guinea pig 1.2 g/kg

 Mouse
 1.2 g/kg

 Rabbit
 0.32 g/kg

 Rat
 560 mg/kg

Skin corrosion/irritationCauses skin irritation.Serious eye damage/eyeCauses serious eye irritation.

irritation

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization
Germ cell mutagenicity
This product is not expected to cause skin sensitization.
No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Carcinogenicity Suspected of causing cancer.

^{*} Estimates for product may be based on additional component data not shown.



#XL600098

PART NUMBER - #600098

PRODUCT NAME: FINE WHITE PEARL

SECTION XI - TOXICOLOGICAL INFORMATION

IARC Monographs. Overall Evaluation of Carcinogenicity

3 Not classifiable as to carcinogenicity to humans. Butyl Cellosolve/Glycol Ether EB (CAS 111-76-2)

Titanium Dioxide (CAS 13463-67-7) 2B Possibly carcinogenic to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Reproductive toxicity

Specific target organ toxicity -

single exposure

This product is not expected to cause reproductive or developmental effects.

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard

Chronic effects

Not an aspiration hazard. May be harmful if absorbed through skin. Prolonged inhalation may be harmful.

2-Butoxy ethanol may be absorbed through the skin in toxic amounts if contact is repeated and prolonged. These effects have not been observed in humans.

Prolonged exposure may cause chronic effects.

SECTION XII - ECOLOGICAL INFORMATION

Ecotoxicity The product is not classified as environmentally hazardous. However, this does

not exclude the possibility that large or frequent spills can have a harmful

or damaging effect on the environment.

Components **Species Test Results**

Butyl Cellosolve/Glycol Ether EB (CAS 111-76-2)

Aquatic

Inland silverside (Menidia beryllina) 1250 mg/l, 96 hours Fish LC50

Titanium Dioxide (CAS 13463-67-7)

Aquatic

Water flea (Daphnia magna) Crustacea EC50 > 1000 mg/l, 48 hours LC50 Mummichog (Fundulus heteroclitus) > 1000 mg/l, 96 hours Fish

* Estimates for product may be based on additional component data not shown.

Bioaccumulative potential

Persistence and degradability

Partition coefficient n-octanol / water (log Kow)

Butyl Cellosolve/Glycol Ether EB 0.83

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone

creation potential, endocrine disruption, global warming potential) are expected from

No data is available on the degradability of this product.

this component.

SECTION XIII - DISPOSAL CONSIDERATIONS

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site.

Dispose of contents/container in accordance with local/regional/national/international

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and

the waste disposal company.

Waste from residues/ unused products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe

manner (see:Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after

container is emptied. Empty containers should be taken to an approved waste handling

site for recycling or disposal.



#XL600098

PART NUMBER - #600098

PRODUCT NAME: FINE WHITE PEARL

SECTION XIV - TRANSPORT INFORMATION

The following transportation information is provided based on the manufacturer's interpretation of shipping regulations. Each shipper is responsible for identifying, naming, marking, and labeling prior to offering for transport.

DOT

UN number UN1263

UN proper shipping name Paint related material including paint thinning, drying, removing,

or reducing compound

Transport hazard class(es)

Class 3
Subsidiary risk Lable(s) 3
Packing group ||

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Special provisions 149, B52, IB2, T4, TP1, TP8, TP28

Packaging exceptions150Packaging non bulk173Packaging bulk242

IATA

UN number UN1263

UN proper shipping name Paint related material (including paint thinning or reducing compounds)

Transport hazard class(es)

Class 3
Subsidiary risk Packing group II
Environmental hazards No.
ERG Code 3L

Special precautions for user

Other information

Passenger and cargo Allowed.

aircraft

Cargo aircraft only Allowed.

IMDG

UN number UN1263

UN proper shipping name PAINT (including paint, lacquer, enamel, stain, shellac, varnish, polish,

liquid filler and liquid lacquer base) or PAINT RELATED MATERIAL

Read safety instructions, SDS and emergency procedures before handling.

(including paint thinning or reducing compound)

Transport hazard class(es)

Class 3
Subsidiary risk Packing group II
Marine pollutant No.

EmS F-E, S-E

Special precautions for user Read safety instructions, SDS and emergency procedures

before handling.

Transport in bulk according to Annex II of MARPOL 73/78 and

the IBC Code

Not applicable.

#XL600098

PART NUMBER - #600098

PRODUCT NAME: FINE WHITE PEARL



IATA; IMDG

Excel Autobody Products



SECTION XV - REGULATORY INFORMATION

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

One or more components are not listed on TSCA.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Butyl Cellosolve/Glycol Ether EB (CAS 111-76-2) Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous chemical

No

SARA 313 (TRI reporting)

 Chemical name
 CAS number
 % by wt.

 Butyl Cellosolve/Glycol Ether EB
 111-76-2
 5 - < 20</td>

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated.

(SDWA)

US state regulations

US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

Not listed.



#XL600098

PART NUMBER - #600098

PRODUCT NAME: FINE WHITE PEARL

US. California. Candidate Chemicals List. Safer Consumer Products Regulations

(Cal. Code Regs, tit. 22, 69502.3, subd. (a))

Butyl Cellosolve/Glycol Ether EB (CAS 111-76-2)

Titanium Dioxide (CAS 13463-67-7)

US. Massachusetts RTK - Substance List

Butyl Cellosolve/Glycol Ether EB (CAS 111-76-2)

Mica Regulatory (CAS 12001-26-2) Tin Oxide Regulatory (CAS 18282-10-5) Titanium Dioxide (CAS 13463-67-7)

US. New Jersey Worker and Community Right-to-Know Act

Butyl Cellosolve/Glycol Ether EB (CAS 111-76-2)

Mica Regulatory (CAS 12001-26-2) Tin Oxide Regulatory (CAS 18282-10-5) Titanium Dioxide (CAS 13463-67-7)

US. Pennsylvania Worker and Community Right-to-Know Law

Butyl Cellosolve/Glycol Ether EB (CAS 111-76-2)

Mica Regulatory (CAS 12001-26-2) Titanium Dioxide (CAS 13463-67-7)

US. Rhode Island RTK

Butyl Cellosolve/Glycol Ether EB (CAS 111-76-2)

US. California Proposition 65

WARNING: This product contains a chemical known to the State of California to cause cancer.

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

Titanium Dioxide (CAS 13463-67-7) Listed: September 2, 2011

International Inventories

Country(s) or region	inventory name	on inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC	C) No
Europe	European Inventory of Existing Commercial Chemical	No
	Substances (EINECS)	
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS	S) No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substance (PICCS)	es No
	(11003)	

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing

SECTION XVI - OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Issue date 09-24-2015

Version # 01

Disclaimer Our

Our company cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written

based on the best knowledge and experience currently available.

Excel Products US, Inc.,

2921 Syene Rd, Madison, WI 53713 Tel: (800) 957-0848; Fax: (608) 274-5313

Email: info@excelproducts.net Website: www.excelproducts.net

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)